

400 SOUTH VETERANS PARKWAY 73018-2407

**DATED: 12/9/2011**

## ARCHITECTURE

- A0.1 DEMO PLAN
- A1.1 ARCHITECTURAL SITE PLAN
- A2.1 FLOOR PLAN
- A3.1 REF CEILING PLAN
- A4.1 ELEVATIONS
- A5.1 BUILDING SECTIONS
- A6.1 WALL SECTIONS & DETAILS
- A7.1 PLAN DETAILS
- A11.1 DOOR SCHEDULE & DETAILS

## STRUCTURAL

S1.1 GENERAL NOTES AND DETAILS  
S2.1 FOUNDATION PLAN

## MECHANICAL

M1.01 MECHANICAL LEGEND AND ABBREVIATIONS  
M2.01 MECHANICAL DEMOLITION FLOOR PLAN  
M2.02 MECHANICAL FLOOR PLAN

P1.01	PLUMBING LEGEND AND ABBREVIATIONS
P2.01	PLUMBING DEMOLITION FLOOR PLAN
P2.02	PLUMBING FLOOR PLAN

F2.01 FIRE PROTECTION DEMOLITION FLOOR PLAN  
F2.02 FIRE PROTECTION FLOOR PLAN

## ELECTRICAL

- E1.0 ELECTRICAL LEGEND, ABBREVIATIONS
- E2.1 LIGHTING PLAN
- E3.1 POWER AND SYSTEM PLAN
- E4.1 PROJECT ELECTRICAL SPECIFICATIONS

# ARCHITECT

STUDIO ARCHITECTURE, P.C.  
1112 N. WALKER  
OKLAHOMA CITY, OKLAHOMA  
TEL. 405.605.1044  
FAX 405.606.7044

## STRUCTURAL


WALLACE ENGINEERING  
200 EAST BRADY STREET  
TULSA, OKLAHOMA  
TEL. 918.584.5858  
FAX 918.584.8689

## MECHANICAL

DHO ENGINEERING  
3629 NORTHWEST 24TH STREET  
OKLAHOMA CITY, OKLAHOMA  
TEL. 405.947.8524  
FAX. 405.947.0472

## ELECTRICAL

**HORNER ASSOCIATES ENGINEERS**  
1306 COMMERCE DRIVE  
NORMAN, OKLAHOMA  
TEL. 405.801.2528  
FAX 405.801.2529

 VICINITY MAP

## ABBREVIATIONS

A.F.F.	ABOVE FINISHED FLOOR	GA.
ALUM.	ALUMINUM	GYP. BD.
BLK.	BLOCK	M.O.
B.O.M.	BOTTOM OF MASONRY	MECH.
B.O.S.	BOTTOM OF STEEL	MET.
B.O.T.	BOTTOM OF TRUSS	N.T.S.
CLNG.	CEILING	O.C.
CFMF	COLD FORMED METAL FRAMING	O.F.C.I.
CONC.	CONCRETE	O.F.O.I.
C.J.	CONSTRUCTION JOINT	O.H.
C.M.U.	CONCRETE MASONRY UNIT	R.O.
CONT.	CONTINUOUS	SCHED.
DET.	DETENTION	SIM.
E.J.	EXPANSION JOINT	STL.
ELEC.	ELECTRICAL	STRUCT.
ELEV.	ELEVATION	SUSP.
EXT.	EXTERIOR	THK.
F.E.	FIRE EXTINGUISHER	T.O.C.
F.E.C.	FIRE EXTINGUISHER CABINET	T.O.M.
F.F.	FINISHED FLOOR	T.O.P.
F.D.	FLOOR DRAIN	T.O.S.
FLR.	FLOOR	TYP.
GALV.	GALVANIZED	W/

GAUGE  
GYPSUM BOARD  
MASONRY OPENING  
MECHANICAL  
METAL  
NOT TO SCALE  
ON CENTER  
OWNER FURNISHED CONTRACTOR INSTALLED  
OWNER FURNISHED OWNER INSTALLED  
OPPOSITE HAND  
ROUGH OPENING  
SCHEDULE  
SIMILAR  
STEEL  
STRUCTURE  
SUSPENDED  
THICK  
TOP OF CONCRETE  
TOP OF MASONRY  
TOP OF PARAPET  
TOP OF STEEL  
TYPICAL  
WITH

## GENERAL NOTES


1. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL PERMITS, LICENSES AND PAY REQUIRED FEES.
2. IN GENERAL, ALL WORK UNDER THIS CONTRACT INCLUDES REMOVAL AND REINSTALLATION OF THE EXISTING SHOP BUILDING CONNECTED TO THE EXPO CENTER.
3. PRIOR TO COMMENCEMENT OF WORK, THE CONTRACTOR SHALL CONTACT ALL UTILITY COMPANIES HAVING JURISDICTION TO VERIFY LOCATION OF ALL EXISTING LINES AND ANY OTHER FEATURES UNIQUE TO THIS PROJECT.
4. ALL PENETRATIONS OF PIPES, CONDUITS, DUCTS, VENTS ETC., SHALL BE TIGHTLY SEALED TO PREVENT PASSAGE OF SMOKE AND FIRE COMMENSURATE WITH RATING OF THE PARTITION.
5. MATERIAL OR FINISHES NOTED ON DRAWINGS ARE FOR GENERAL INFORMATION AND TO FACILITATE INTERPRETATION OF THE DRAWINGS. THE CONTRACTOR SHALL FURNISH OTHER MATERIALS, ACCESSORIES AND OR FINISHES AS REQUIRED TO COMPLETE THE WORK.
6. CONTRACTOR SHALL, IN THE WORK OF ALL TRADES, PERFORM ANY AND ALL CUTTING, PATCHING, REPAIRING, RESTORING AND THE LIKE NECESSARY TO COMPLETE THE WORK AND TO RESTORE ANY DAMAGED OR AFFECTED SURFACES RESULTING FROM THE WORK OF THESE CONTRACTS TO THEIR ORIGINAL CONDITION TO THE SATISFACTION OF THE ARCHITECT.
7. ALL MATERIALS AND FINISHES INDICATED ON THE DRAWINGS SHALL BE NEW AND UNUSED.
8. CEILING HEIGHTS NOTED ON DRAWINGS ARE FROM FINISH FLOOR TO CEILING, UNLESS OTHERWISE NOTED.
9. FOR SIZE AND LOCATION OF ALL OPENINGS FOR MECHANICAL DUCTWORK SEE MECHANICAL DRAWINGS.
10. WHERE FACTORY FINISHED OR FACTORY PRIMED ITEMS, SUCH AS GRILLES, DIFFUSERS, METAL TRIM AND ACCESSORIES OCCUR, THEY SHALL BE PAINTED TO MATCH ADJACENT SURFACE OR AS DIRECTED BY THE ARCHITECT.
11. CONTRACTOR SHALL VERIFY AT THE JOBSITE, ALL EXISTING CONDITIONS AND DIMENSIONS WHICH MAY AFFECT THE WORK PRIOR TO STARTING OF THE WORK AND NOTIFY THE OWNER AND ARCHITECT OF ANY DISCREPANCIES IMMEDIATELY UPON DISCOVERY.
12. THESE DRAWINGS ARE THE SOLE PROPERTY OF STUDIO ARCHITECTURE, P.C.. THE USE OR RE-USE OF THESE DRAWINGS IS HEREBY RESTRICTED TO THE ORIGINAL SITE FOR WHICH THEY WERE PREPARED. REPRODUCTION OF THESE DRAWINGS, IN WHOLE OR IN PART, WITHOUT THE WRITTEN PERMISSION OF THE ARCHITECT IS HEREBY PROHIBITED.
- COPYRIGHT 2010 STUDIO ARCHITECTURE, P.C..
- ©

②

STUDIOARCHITECTURE ■■■

1112 NORTH WALKER  
OKLAHOMA CITY, OK. 73103  
VOICE: 405.605.1044  
FACSIMILE: 405.606.7044  
WWW.STUDIOARC.COM

**ARCHITECTURE  
INTERIORS  
PLANNING**




GENERAL NOTES:

- A. THE EXPO CENTER IS TO REMAIN OPERATIONAL DURING THE DEMOLITION AND CONSTRUCTION OF THE EXPO CENTER'S SHOP REPLACEMENT.
- B. THE EXISTING SHOP BUILDING WAS DAMAGED STRUCTURALLY BY EXCESS SNOW LOADS. THE EXISTING STRUCTURE SYSTEM, ROOF SYSTEM AND WALL SYSTEMS ARE TO BE REMOVED AND REPLACED WITHOUT DAMAGING THE MECHANICAL, ELECTRICAL AND FIRE PROTECTION SYSTEMS.
- C. REFER TO 1/NO.01, 1/P2.01, 1/P2.01, 1/P2.01 FOR MECHANICAL, PLUMBING AND FIRE PROTECTION DEMOLITION REQUIREMENTS.
- D. REFER TO 1/E3.1 FOR ELECTRICAL DEMOLITION PLAN.
- E. REFER TO 1/S2 FOR STRUCTURAL DEMOLITION PLAN.
- F. SHADED WALLS TO REMAIN


KEYED NOTES ①

1. ELEC., TELE. AND LIGHT ROOM ACCESS CLOSETS TO BE PROTECTED FROM THE WEATHER THROUGHOUT THE DEMOLITION AND CONSTRUCTION.
2. HATCHED WALLS TO BE REMOVED.
3. HATCHED DOORS ARE TO BE REMOVED.
4. HATCHED COLUMNS ARE TO BE REMOVED.
5. HATCHED BOLLARDS ARE TO BE REMOVED.
6. EXISTING STRUCTURAL FRAMING AND ROOF SYSTEM ARE TO BE REMOVED.






STUDIOARCHITECTURE



1112 NORTH WALKER  
OKLAHOMA CITY, OK. 73103  
VOICE: 405.605.1044  
FACSIMILE: 405.606.7044  
WWW.STUDIOARC.COM



ARCHITECTURE:  
Studio Architecture, P.C.  
Tel: 405.605.1044  
Fax: 405.606.7044

STRUCTURAL:  
Wallace Engineering  
Tel: 918.584.5858  
Fax: 918.584.8689


MECHANICAL & PLUMBING:  
DIXO Engineering  
Tel: 405.947.8524  
Fax: 405.947.0472

ELECTRICAL:  
Homer Associate Engineering  
Tel: 405.801.2528  
Fax: 405.801.2529


CLAREMORE CIVIC EXPO CENTER  
SHOP REPLACEMENT  
CLAREMORE, OKLAHOMA

Revision
Project Number
11 019
Sheet Title
ARCHITECTURAL SITE PLAN
Date
12/9/2011
Sheet No.
A1.1





112 NORTH WALKER  
OKLAHOMA CITY, OK. 73103  
PHONE: 405.605.1044  
FACSIMILE: 405.606.7044  
WWW.STUDIOARC.COM



**ARCHITECTURE:**  
Studio Architecture, P.C.  
Tel: 405.605.1044  
Fax: 405.606.7044

**STRUCTURAL:**  
Wallace Engineering  
Tel: 918.584.5858  
Fax: 918.584.8689

**MECHANICAL & PLUMBING:**  
DHO Engineering  
Tel: 405.947.8524  
Fax: 405.947.0472

**ELECTRICAL:**  
Horner Associate Engineering  
Tel: 405.801.2528  
Fax: 405.801.2529

CLAREMORE CIVIC EXPO CENTER  
SHOP REPLACEMENT  
CLAREMORE, OKLAHOMA

## Revision

Project Number

Sheet Title


## FLOOR PLAN

Date \_\_\_\_\_


12/9/2011

Sheet No.

## A2.1








NOTES:  
1. CEILINGS ARE EXPOSED STRUCTURE (UNO)  
2. ALL ROOFS TO HAVE ROOF INSULATION


1 REFLECTED CEILING PLAN  
1/8"=1'-0"  
NORTH

STUDIOARCHITECTURE



ARCHITECTURE  
INTERIORS  
PLANNING

1112 NORTH WALKER  
OKLAHOMA CITY, OK. 73103  
VOICE: 405.605.1044  
FACSIMILE: 405.606.7044  
WWW.STUDIOARC.COM



ARCHITECTURE:  
Studio Architecture, P.C.  
Tel: 405.605.1044  
Fax: 405.606.7044

STRUCTURAL:  
Wallace Engineering  
Tel: 918.584.5858  
Fax: 918.584.8689

MECHANICAL & PLUMBING:  
DHO Engineering  
Tel: 405.947.8524  
Fax: 405.947.0472

ELECTRICAL:  
Hornor Associate Engineering  
Tel: 405.801.2528  
Fax: 405.801.2529

CLAREMORE CIVIC EXPO CENTER  
SHOP REPLACEMENT  
CLAREMORE, OKLAHOMA

Revision

Project Number

11 019

Sheet Title

REFLECTED CEILING PLAN





Date

12/9/2011

Sheet No.

A3.1





ARCHITECTURE:  
Studio Architecture, P.C.  
Tel: 405.605.1044  
Fax: 405.606.7044

STRUCTURAL:  
Wallace Engineering  
Tel: 918.584.9888  
Fax: 918.584.8689

MECHANICAL & PLUMBING:  
DHO Engineering  
Tel: 405.947.8524  
Fax: 405.947.0472

ELECTRICAL:  
Hornor Associate Engineering  
Tel: 405.801.2528  
Fax: 405.801.2529

Revision

Project Number

11 019

Sheet Title

ELEVATIONS


Date

12/9/2011

Sheet No.


A4.1





1 | BUILDING SECTION  
1/4"=1'-0"

STUDIOARCHITECTURE



ARCHITECTURE  
INTERIORS  
PLANNING

1112 NORTH WALKER  
OKLAHOMA CITY, OK. 73103  
VOICE: 405.605.1044  
FACSIMILE: 405.606.7044  
WWW.STUDIOARC.COM



ARCHITECTURE:  
Studio Architecture, P.C.  
Tel: 405.605.1044  
Fax: 405.606.7044

STRUCTURAL:  
Wallace Engineering  
Tel: 918.584.5858  
Fax: 918.584.8689

MECHANICAL & PLUMBING:  
DHO Engineering  
Tel: 405.947.8524  
Fax: 405.947.0472

ELECTRICAL:  
Horner Associate Engineering  
Tel: 405.801.2528  
Fax: 405.801.2529

CLAREMORE CIVIC EXPO CENTER  
SHOP REPLACEMENT  
CLAREMORE, OKLAHOMA

Revision

Project Number

11 019

Sheet Title

BUILDING SECTION


Date

12/9/2011


Sheet No.

A5.1







1 | WALL SECTION  
3/4" = 1'




2 | WALL SECTION  
3/4" = 1'




3 | WALL DETAIL  
3" = 1'




4 | WALL DETAIL  
3" = 1'




5 | WALL DETAIL  
3" = 1'



6 | WALL DETAIL  
3" = 1'




7 | WALL DETAIL  
3" = 1'




8 | DETAIL  
3/8" = 1'






1 | PLAN DETAIL  
3" = 1'




2 | PLAN DETAIL  
3" = 1'




3 | PLAN DETAIL  
3" = 1'







A FLUSH STEEL DOOR



B SLIDING DOOR




C LOUVER




D LOUVER

## 1 DOOR TYPES

1/4"=1'-0"



A STEEL FRAME




B SLIDING DOOR STEEL FRAME

## 2 FRAME TYPES


1/4"=1'-0"

DOOR SCHEDULE													
DOOR					FRAME		RATING	HARDWARE	DETAIL			NOTES	COMMENTS
NUMBER	TYPE	MATERIAL	WIDTH	HEIGHT	TYPE	MATERIAL			JAMB	HEAD	SILL		
101A	A	STEEL	3'-0"	7'-0"	A	STEEL	-	-	5/A11.1	3/A11.1	4/A11.1	-	-
101B	B	STEEL	14'-4"	12'-0"	B	STEEL	-	-	8&9/A11.1	6/A11.1	7/A11.1	-	-
101C	C	LOUVER	4'-6"	4'-6"	C	STEEL	-	-	-	-	-	-	-
101D	C	LOUVER	1'-4"	1'-4"	D	STEEL	-	-	-	-	-	-	-
101E	C	LOUVER	4'-6"	4'-6"	C	STEEL	-	-	-	-	-	-	-




## 3 DOOR HEAD

1"=1'-0"




## 4 DOOR THRESHOLD

1"=1'-0"




## 5 DOOR JAMB

1"=1'-0"




## 6 DOOR HEAD

1"=1'-0"




## 7 DOOR THRESHOLD

1"=1'-0"



## 8 DOOR JAMB

1"=1'-0"



## 9 DOOR JAMB

1"=1'-0"